## Directional self-assembly of patchy particles

Céline Hubert<sup>1,2</sup>, Pierre-Etienne Rouet<sup>1,3</sup>, Cyril Chomette<sup>3</sup>, Etienne Duguet<sup>3</sup>, Mona Tréguer-Delapierre<sup>3</sup>, Adeline Perro-Marre<sup>2</sup>, Serge Ravaine<sup>1</sup>

<sup>1</sup>CRPP-CNRS Univ. Bordeaux, 115 Ave du Dr A. Schweitzer, 33608 Pessac Cedex (France)
<sup>2</sup>ISM Univ. Bordeaux, 351 cours de la libération, 33405 Talence Cedex (France)
<sup>3</sup>ICMCB-CNRS Univ. Bordeaux, 87 Ave du Dr A. Schweitzer, 33608 Pessac Cedex (France)

In this communication, we report on a new route to synthesize patchy particles with a controlled number of patches or dimples as well as on their potential use as building blocks for the elaboration of new supracolloids with unusual morphology and optical properties.

The so-patchy particles were derived from colloidal molecules<sup>1</sup> made of a central silica core surrounded by a precise number n of polystyrene satellite nodules<sup>2,3</sup>. We succeeded in promoting the growth of the silica core of these colloidal molecules. While growing, the silica surface conforms to the shape of the PS nodules. After the dissolution of the polystyrene nodules and functionalization of the dimples, homogeneous batches of silica particles with n well-located patches at their surface can be produced in large quantities<sup>4,5</sup>. The patchy character of the silica particles was evidenced by TEM characterization.

Finally, we will present new results on the self-assembly of the obtained patchy particles with various valences in the form of supraparticles, supramicelles (see figure) and 1D-chains.





Figure: Self-assembly of patchy particles with one patch in the form of dimer-like structures (left) and supramicelles (right). Scale bare : 100 nm.

The Labex Amadeus is acknowledged for its financial support.

<sup>&</sup>lt;sup>1</sup> E. Duguet, A. Désert, A. Perro and S. Ravaine, *Design and elaboration of colloidal molecules: an overview*, *Chem. Soc. Rev.* **2011**, 40, 941

<sup>&</sup>lt;sup>2</sup> A. Perro, E. Duguet, O. Lambert, J. C. Taveau, E. Bourgeat-Lami and S. Ravaine, *Chemical synthetic route towards "colloidal molecules*", *Angew. Chem., Int. Ed.* **2009**, 48, 361.

<sup>&</sup>lt;sup>3</sup> A. Désert, I. Chaduc, S. Fouilloux, J.C. Taveau, O. Lambert, M. Lansalot, E. Bourgeat-Lami, A. Thill, O. Spalla, S. Ravaine and E. Duguet, *High-yield preparation of polystyrene/silica clusters of controlled morphology*, *Polym. Chem.* **2012**, 3, 1130

<sup>&</sup>lt;sup>4</sup> A. Désert, C. Hubert, Z. Fu, L. Moulet, J. Majimel, P. Barboteau, A. Thill, M. Lansalot, E. Bourgeat-Lami, E. Duguet and S. Ravaine, *Synthesis and site-specific functionalization of tetravalent, hexavalent, and dodecavalent silica particles, Angew. Chem. Int. Ed.* **2013**, 52, 11068.

<sup>&</sup>lt;sup>5</sup> C. Hubert, C. Chomette, A. Désert, M. Sun, M. Tréguer-Delapierre, S. Mornet, A. Perro, E. Duguet, S. Ravaine, Synthesis of multivalent silica nanoparticles combining both enthalpic and entropic patchiness, Faraday Discussions, **2015**, 181, 139.